Case No.: 58108US002

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Inventor:

CARIM, HATIM M.

Patent No.:

7187985

Application No.:

10/623359

Dated:

March 6, 2007

Confirmation No.

5048

Title:

BIOMEDICAL ELECTRODE WITH CURRENT SPREADING LAYER

## REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.322

Commissioner for Patents Office of Publication Attn: Certificate of Correction Branch P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFI	CATE OF MAILENG OR TRANSMISSION [37 CFR § 1.8(a)]
I hereby cert	ify that this correspondence is being:
Atransmit	ted to United States Patentaind Frademark Office on the date shown
/ below v	via the Office electronic titing system ///
Tul	.19,2007 Alg/U/Ta
Date	Signed by Judy Knutson

Dear Sir:

It is respectfully requested that a Certificate of Correction be issued in connection with the above-identified patent. The required text is submitted on the attached form.

Because the listed errors first occurred in the printed patent, and are not due to Applicant's mistake, no fee is required in connection with this Certificate of Correction.

Respectfully submitted,

Nancy M. Lambert, Reg. No.:

Telephone No.: 651-733-2180

Office of Intellectual Property Counsel 3M Innovative Properties Company Facsimile No.: 651-736-3833

Printer's Trim

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO .:

7187985

DATED:

March 6, 2007

FIRST NAMED INVENTOR:

CARIM, HATIM M.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 8

Line 1, After "surface" insert - - 60 may be provided as a continuous layer that covers all of the upper surface - -.

#### Column 14

Line 46, In Claim 11, delete "on" and insert - - an - -, therefor.

MAILING ADDRESS OF SENDER:

PATENT NO. 7187985

OFFICE OF INTELLECTUAL PROPERTY COUNSEL 3M INNOVATIVE PROPERTIES COMPANY 3M CENTER - P.O. BOX 33427 SAINT PAUL, MINNESOTA 55133-3427

No. of add'l copies: - 0-@ 50¢ per page

No add'l copies